

PRODUCT-DETAILS

## Q855B416

Q855B416 Wall mounting & Floorstanding Basic System pro E energy M, housing up to IP55, Rows: 10, 1600.000 mm x 396 mm x 250 mm, Grounded, IP55



### Algemene informatie

Type	Q855B416
Artikelnummer	1SZE550800B0060
EAN	3800161600760
Omschrijving	Q855B416 Wall mounting & Floorstanding Basic System pro E energy M, housing up to IP55, Rows: 10, 1600.000 mm x 396 mm x 250 mm, Grounded, IP55
Omschrijving	Floor standing cabinet, Type System pro E energy M, Basic structure, Mountingtype: Wallhanging, for indoor installation, Flatpack, Protection form I (Earthed), Protectklass IP55 (with door) IP30, without door, Acc.Norm: IEC 61439-1, IEC 61439-2, IEC 61439-3; IEC62208, IK08 for housing, IK07 for glass-door and knock-out, powdercoated RAL 7035, Sheet steel material, Door needs to be added seperately, Door can be mounted Left or Right, Door opening 135°, Backplate sheet steel, Top and Bottom need to be added sepreately, Cable entry by flange of big Cable entry, dimensions in mm (H x W x D) 1600 x 400 (384) x 250, No.Mod.DIN 120 (H=150 mm), prepared for extention side-by-side, prepared for interior fitting System pro E energy Combi (up to 800A)

### Technical

Toegekende stroom ( $I_n$ )	800 A
Vermogensverlies	$\Delta t = 25K$ 51 W $\Delta t = 30K$ 73 W $\Delta t = 35K$ 97 W $\Delta t = 40K$ 121 W
Aantal uitsparingen voor flensplaten	2

Aantal rijen	10
Afdekplaattype	Optional
Montagetype	Surface mounted (plaster)
Deurtype	Single
Uitvoering oppervlakte	Powder coating
Materiaal behuizing	Steel
RAL-nummer	RAL 7035 - Lichtgrijs
Kleur	Grey
Aantal batterijen	0
Dikte	Cabinet Plate 1.5 mm Door Plate 1.5 mm

## Environmental

Beschermingsgraad	IP55
Beschermingsklasse	Grounded
RoHS-status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

## Dimensions

Breedte in module-eenheden	12
Product netto breedte	396 mm
Product netto hoogte	1600.000 mm
Product netto diepte	250 mm
Inbouwdiepte (t <sub>2</sub> )	230 mm

## Container Information

Pakketniveau 1 Units	box 1 stuk
Pakketniveau 1 Breedte	250.000 mm
Pakketniveau 1 Hoogte	1600.000 mm
Pakketniveau 1 Lengte	400.000 mm
Pakketniveau 1 EAN	3800161600760

## Ordering

Minimale bestelhoeveelheid	1 stuk
Nummer douanetarief	85381000
Land van herkomst	Bulgaria (BG)

## Certificates and Declarations (Document Number)

Conformiteitsverklaring - CE	1STC860120
Instructies en handleidingen	No document needed

REACH Declaration	1STE000078
RoHS-informatie	1STC860120 9AKK108467A5062

---

## Popular Downloads

---

Gegevensblad, technische informatie	No document needed
Instructies en handleidingen	No document needed

---

---

## Classifications

---

ETIM 7	EC000058 - Empty cabinet
ETIM 8	EC000058 - Empty cabinet
WEEE-categorie	Product Not in WEEE Scope
AEEA B2C / B2B	Business To Consumer
CN8	85381000
eClass	V11.0 : 27142408
Object classificatiecode	U

---

---

## Categorieën

---

Laagspanningsproducten en -systemen → Verdelers → Onderverdeelborden (System pro E energy) → Subverdeelborden → System pro E energy M

