


PRODUCT-DETAILS

SB/U8.0.11-83

SB/U8.0.11-83 8f. Control element, aluminium silver



Algemene informatie

| | |
|---------------|---|
| Type | SB/U8.0.11-83 |
| Artikelnummer | 2CKA006330A0071 |
| EAN | 4011395299050 |
| Omschrijving | SB/U8.0.11-83 8f. Control element, aluminium silver |
| Omschrijving | With integrated KNX bus coupler. With labelling field. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. Push switch function: switching / dimming / blind / sending values / scenes etc. With integrated temperature sensor. Number of bus subscribers: 1 |

Technical

| | |
|-------------------------|--|
| Aantal bedieningspunten | 8 |
| Compatibele bussystemen | KNX (TP) |
| Productreeks | KNX; ABB i-bus® KNX |
| Montagetype | Flush Mounted |
| Uitvoering oppervlakte | Surface protection: Lacquered, Surface finishing: Matt |
| Materiaal | Plastic |
| RAL-nummer | RAL 9006 - Blank |
| Kleur | aluminium silver |
| Gewicht batterij | 0 g |

Environmental

| | |
|-------------------------|-----------------------|
| Omgevingsluchttemperatu | Werking -5 ... +45 °C |
|-------------------------|-----------------------|

ur

Beschermingsgraad

IP20

RoHS-status

Following EU Directive 2002/95/EC August 18, 2005 and amendment

Dimensions

| | |
|-----------------------|-------|
| Product netto gewicht | 218 g |
|-----------------------|-------|

Container Information

| | |
|-----------------------------|---------------|
| Pakketniveau 1 Units | karton 1 stuk |
| Pakketniveau 1 Breedte | 135 mm |
| Pakketniveau 1 Hoogte | 76 mm |
| Pakketniveau 1 Lengte | 154 mm |
| Pakketniveau 1 Brutogewicht | 0.218 kg |
| Pakketniveau 1 EAN | 4011395299050 |

Ordering

| | |
|----------------------------|--------------|
| Minimale bestelhoeveelheid | 1 stuk |
| Nummer douanetarief | 85365080 |
| Land van herkomst | Germany (DE) |

Certificates and Declarations (Document Number)

| | |
|------------------------------|------------------|
| Conformiteitsverklaring - CE | 2CKA100000E4113 |
| Instructies en handleidingen | 2CKA000073BB9649 |
| REACH-verklaring | 2CKA309999E9999 |
| RoHS-informatie | 9AKK104295D8727 |

Popular Downloads

| | |
|-------------------------------------|--------------------|
| Gegevensblad, technische informatie | No document needed |
| Instructies en handleidingen | 2CKA000073BB9649 |

Classifications

| | |
|----------------------|---|
| ETIM 7 | EC000672 - Touch sensor for bus system |
| ETIM 8 | EC000672 - Touch sensor for bus system |
| EPLAN-catalogus boom | Electrical engineering / Sensor, switch, and pushbutton / Switch , pushbutton |
| WEEE-categorie | 5. Small Equipment (No External Dimension More Than 50 cm) |
| AEAA B2C / B2B | Business To Consumer |
| CN8 | 8536 50 80 |
| eClass | V11.0 : 27143138 |

Categorieën

Laagspanningsproducten en -systemen → Gebouwautomatisering → KNX → User Operation → ABB-Tenton® → 8 fold

| | | | |
|----|------------|------------|----|
| 11 | Licht 1 | Licht 2 | 11 |
| 11 | Scene 1 | Scene 2 | 11 |
| 11 | Raum 1 | Raum 2 | 11 |
| 11 | Badezimmer | Wohnzimmer | 11 |