

PRODUCT-DETAILS

UK636MV

UK636MV Multimedia unit



Algemene informatie

Type	UK636MV
Artikelnummer	2CPX031384R9999
EAN	4011617313847
Omschrijving	UK636MV Multimedia unit
Omschrijving	Multimedia unit, series UK600, Expansion option: Lateral and bottom, for the internal use, with closed doorframe and door, class of protection II (double insulated), degree of protection IP30, applicable standards: EN 60670-24, IK code 7, Rated operational voltage 400V AC 50/60 Hz, rated current 63 A, Glow wire resistance 850°C, Powder-coated, in RAL 9016, enclosure out of thermoplast, with frame and ventilated door , door out of sheet steel, in RAL 9016, with TIP-in closure, door opening angle 120 degree, door hinge right or left, cable entry on top via cable entry slide part is pre-punched, on bottom via cable entry slide part is pre-punched, on side via pre-punched, rear wall pre-punched, dimensions in mm (H x W x D): 622 x 384 x 97, Shutter frame dimensions in mm (H x W x D): 622 x 384 x 9, 3-rows, cable fastening rail integrated, assembled with perforated sheet steel mounting plate, patchpanel an rotatable tripple socket outlet

Technical

Normen	DIN 43871
Nominaal bedrijfsvoltage	Maximum 400 V
Operationeel voltage	400 V
Toegekende stroom (I_n)	63 A

Vermogensverlies	$\Delta t = 30K\ 114\ W$
Aantal rijen	3
Type sluiting	Push Button
Configuratietype	assembled with perforated sheet steel mounting plate, patchpanel an rotatable tripple socket outlet
Afdekplaatype	Door
Behuizingstype	Multimedia unit
Montagetype	Flush-mounted
Deurtype	Enkel
Uitvoering oppervlakte	Powder-coated
Materiaal behuizing	Plastic
Afdekstijl	Closed
RAL-nummer	RAL 9016 - Verkeerswit
Kleur	Traffic white
Terminaltype	No Terminals
Dikte	"

Environmental

Beschermingsgraad	IP30
Beschermingsklasse	Geïsoleerd
RoHS-status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Dimensions

Breedte in module-eenheden	12
Product netto breedte	384 mm
Product netto hoogte	622 mm
Product netto diepte	97 mm
Product netto gewicht	4.018 kg
Inbouwdiepte (t_2)	81 mm

Container Information

Pakketniveau 1 Units	pack 1 stuk
Pakketniveau 1 Breedte	390 mm
Pakketniveau 1 Hoogte	630 mm
Pakketniveau 1 Lengte	115 mm
Pakketniveau 1 Brutowicht	4.179 kg
Pakketniveau 1 EAN	4011617313847
Pakketniveau 2 Units	pallet (lift) 45 stuk
Pakketniveau 2 Breedte	800 mm
Pakketniveau 2 Hoogte	1820 mm
Pakketniveau 2 Lengte	1200 mm

Pakketniveau 2	200.81 kg
Brutogewicht	

Ordering

Minimale bestelhoeveelheid	1 stuk
Nummer douanetarief	85381000
E-Number (Sweden)	2201260
Land van herkomst	Germany (DE)

Certificates and Declarations (Document Number)

Conformiteitsverklaring - CE	9AKK107992A8137
Instructies en handleidingen	2CPC130102M5601
REACH-verklaring	2CPC100005X0201
RoHS-informatie	9AKK107992A8137

Popular Downloads

Gegevensblad, technische informatie	2CPC000001C0101 2CPC000002C0101
Instructies en handleidingen	2CPC130102M5601
Dimensiediagram	2CPC000002D0201 2CPC000003D0201

Classifications

ETIM 7	EC000214 - Small distribution board
ETIM 8	EC000214 - Small distribution board
EPLAN-catalogus boom	Mechanics / Housings / General
WEEE-categorie	4. Large Equipment (Any External Dimension More Than 50 cm)
AEEA B2C / B2B	Business To Consumer
CN8	85381000
eClass	V11.0 : 27142409
Object classificatiecode	U

Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CPX062745R9999	ZK50BT Terminals	ZK50BT	1	piece
2CPX030892R9999	ZK507 Terminals	ZK507	1	piece
2CPX031413R9999	UZT4 Enclosure accessories	UZT4	1	piece
2CPX031412R9999	UZT3 Enclosure accessories	UZT3	1	piece
2CPX038625R9999	ZE310 ZE Measuring devices, 73 mm x 18 mm x 66.7 mm	ZE310	1	piece
2CPX038612R9999	ZE311 ZE Measuring devices, 23.4 mm x 16.3 mm x 36.1 mm	ZE311	1	piece
2CPX039246R9999	ZE316 ZE Conversion kit, 22.3 mm x 16.3 mm x 25.5 mm	ZE316	1	piece
2CPX039248R9999	ZE318 ZE Conversion kit, 22.3 mm x 16.3 mm x 27.8 mm	ZE318	1	piece
2CPX039247R9999	ZE317 ZE Conversion kit, 22.3 mm x 16.3 mm x 27.8 mm	ZE317	1	piece
2CPX031404R9999	AP636 Enclosure accessories	AP636	1	piece
2CPX031434R9999	UZ91P4 Enclosure accessories	UZ91P4	1	piece
2CPX061178R9999	ZX29 ZX Interior fitting system, 62 mm x 125 mm x 68 mm	ZX29	1	piece
2CPX061177R9999	ZE225 ZE Customized electrical components, 50 mm x 102 mm x 63 mm	ZE225	1	piece
2CPX031408R9999	UZB2 Enclosure accessories	UZB2	1	piece
2CPX061211R9999	ZE227 ZE Customized electrical components, 63 mm x 213 mm x 58 mm	ZE227	1	piece
2CPX031427R9999	ZE224 ZE Customized electrical components, 54 mm x 50 mm x 58 mm	ZE224	1	piece
2CPX039249R9999	ZE319 ZE Conversion kit, 21.9 mm x 16.5 mm x 29.6 mm	ZE319	1	piece

Categorieën

Laagspanningsproducten en -systemen → Verdelers → Installatiekasten (System pro E comfort) → Installatiekasten → UK600

