

## PRODUCT-DETAILS

# CSS-50R

## SUPPORT,CABLE



### Algemene informatie

Type	CSS-50R
Artikelnummer	7TAA159100R0005
EAN	5414363149866
Omschrijving	SUPPORT,CABLE
Omschrijving	Deltec Cable Tie Without Double-Locking Head, Black Acetal for Temperatures up to 105 Degrees Celsius (221 F), Weather and Ultraviolet Resistant, Length of 15.24m (50 Foot) Reel, Width of 12.7mm (0.5 Inch), Thickness of 1.52mm (0.06 Inch), Tensile Strength Rating of 1112 Newtons (250 Pounds). Can Be Cut to Any Desired Length

### Ordering

EAN	5414363149866
UPC	786210700694
Land van herkomst	United States (US)
Verkoopenheid van maat	each

### Dimensions

Product netto breedte	0.5 in 12.7 mm
Product netto diepte	50 ft 15.24 m

## Container Information

Pakketniveau 1 Units	10 stuk
Pakketniveau 1 Breedte	8.35 in 212 mm
Pakketniveau 1 Hoogte	8.9 in 226 mm
Pakketniveau 1 Lengte	8.7 in 221 mm
Pakketniveau 2 Units	1500 stuk

## Technical UL/CSA

Ontvlambaarheid volgens UL94	HB
------------------------------	----

## Additional Information

Toepassing	Ideal solution for bundling in harsh outdoor environments.
Merk / Label	Deltec
Kleur	Black
Ingangsdatum	19870318
Type slot	Double Locking Head
Materiaal	Weather Resistant Acetal
Productnaam	PLASTIC HOLDER
Producttype	Strap on a Reel
Speciale functies	Perfect for coaxial, fiber optic and all other communication and electrical conducting cables.
Treksterkte	250 lb 1112 N
Dikte	0.06 in 1.52 mm

## Certificates and Declarations (Document Number)

Gegevensblad, technische informatie	CSS-50R
Instructies en handleidingen	CSS-50R

## Classifications

ETIM 6	EC000046 - Kabelbundelband
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE-categorie	Product Not in WEEE Scope
IGCC (IDEA granulaire categoriecode)	5034 >> Cable ties

## Categorieën

Laagspanningsproducten en -systemen → Installatietechniek producten → Draad- en kabelmanagement → Kabelbinders

