

PRODUCT-DETAILS

L-5-50PM-0-C

CABLE TIE 50LB 5IN BLK NYL PUSH MNT



Algemene informatie

Type	L-5-50PM-0-C
Artikelnummer	7TAG054980R0640
EAN	5414363028192
Omschrijving	CABLE TIE 50LB 5IN BLK NYL PUSH MNT
Omschrijving	Push Mount Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 122.52mm (4.824 Inches), Width of 4.8mm (0.189 Inches), Thickness of 1.19mm (0.047 Inches), Tensile Strength Rating of 220 Newtons (50 Pounds), Mounting Hole Size of 6.35mm (0.25 Inches)

Ordering

EAN	5414363028192
UPC	728494124469
Land van herkomst	Thailand (TH)
Verkoopenheid van maat	each

Dimensions

Product netto breedte	0.187 in 4.74 mm
Product netto diepte	5.8 in

147.32 mm

Container Information

Pakketniveau 1 Units	100 stuk
Pakketniveau 1 Breedte	5 in 127 mm
Pakketniveau 1 Hoogte	1.5 in 38 mm
Pakketniveau 1 Lengte	9 in 229 mm
Pakketniveau 2 Units	5000 stuk
Pakketniveau 2 Breedte	12.5 in 318 mm
Pakketniveau 2 Hoogte	12 in 305 mm
Pakketniveau 2 Lengte	18 in 457 mm

Technical UL/CSA

Ontvlambaarheid volgens UL94	V-2
------------------------------	-----

Additional Information

Merk / Label	Catamount
Bundeldiameter	Max 1 in Max 25.4 mm
Kleur	Black
Ingangsdatum	19960917
Type slot	Plastic Pawl
Materiaal	Nylon/Polyamide 6.6
Productnaam	CATAMOUNT FASTENING PRODUCTS
Producttype	Push Mount
Treksterkte	50 lb 220 N

Certificates and Declarations (Document Number)

Gegevensblad, technische informatie	L-5-50PM-0-C
Instructies en handleidingen	L-5-50PM-0-C

Classifications

ETIM 6	EC000046 - Kabelbundelband
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE-categorie	Product Not in WEEE Scope
IGCC (IDEA granulaire categoriecode)	5035 >> Push Mount Cable Ties

Categorieën

Laagspanningsproducten en -systemen → Installatietechniek producten → Draad- en kabelmanagement → Kabelbinders

