

PRODUCT-DETAILS

204210-5

RING TERM CU 12-4 AWG 1/2 STUD



Algemene informatie

| | |
|---------------|---|
| Type | 204210-5 |
| Artikelnummer | 7TAI029020R0004 |
| EAN | 5414363111610 |
| Omschrijving | RING TERM CU 12-4 AWG 1/2 STUD |
| Omschrijving | Insulation Piercing Magnet Wire Ring Terminal, Length 1.58 Inches, Width .81 Inches, Length of Teeth .61 Inches, Width of Teeth .53 Inches, Stud Size 1/2 Inch, Wire Range #12 AWG - #4 AWG 10,380 Circular Mil Area - 52,480 Circular Mil Area, Copper Alloy, Tin Plated |

Ordering

| | |
|------------------------|--------------------|
| EAN | 5414363111610 |
| UPC | 786210868035 |
| Land van herkomst | United States (US) |
| Verkoopenheid van maat | each |

Container Information

| | |
|------------------------|-----------------|
| Pakketniveau 1 Units | 100 stuk |
| Pakketniveau 1 Breedte | 3.2 in 81 mm |
| Pakketniveau 1 Hoogte | 4.6 in |

| | |
|------------------------|----------|
| | 117 mm |
| Pakketniveau 1 Lengte | 6 in |
| | 152 mm |
| Pakketniveau 2 Units | 500 stuk |
| Pakketniveau 2 Breedte | 8.8 in |
| | 224 mm |
| Pakketniveau 2 Hoogte | 7.1 in |
| | 180 mm |
| Pakketniveau 2 Lengte | 10.4 in |
| | 264 mm |

Additional Information

| | |
|-------------------|--|
| Toepassing | For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections. |
| Merk / Label | Sta-Kon |
| Ingangsdatum | 19730517 |
| Materiaal | Copper |
| Productnaam | STA-KON AND CATAMOUNT TERMINAL |
| Producttype | Ring Terminal |
| Speciale functies | Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire. |
| Normen | UL E9809 |
| Sub Brand / Label | Dragon Tooth |

Certificates and Declarations (Document Number)

| | |
|-------------------------------------|----------|
| Gegevensblad, technische informatie | 204210-5 |
| Instructies en handleidingen | 204210-5 |

Classifications

| | |
|--------------------------------------|--|
| ETIM 6 | EC001052 - Klemkabelschoen voor koperkabel |
| ETIM 7 | EC001052 - Solderless copper terminals for copper conductors |
| ETIM 8 | EC001052 - Solderless copper terminals for copper conductors |
| UNSPSC | 39121432 |
| WEEE-categorie | Product Not in WEEE Scope |
| IGCC (IDEA granulaire categoriecode) | 4603 >> Electrical terminals |

Categorieën

Laagspanningsproducten en -systemen → Installatietechniek producten → Draad- en kabelmanagement → Compressie- en mechanische aansluitingen

