

PRODUCT-DETAILS

# 204MT14

## INSUL PRC CONN TONGUE CU 10-3 AWG



### Algemene informatie

Type	204MT14
Artikelnummer	7TAI029030R0002
EAN	5414363111665
Omschrijving	INSUL PRC CONN TONGUE CU 10-3 AWG
Omschrijving	Insulation Piercing Magnet Wire Modular Connector Tongue, Tongue Length 1.44 Inches, Width .91 Inches, Thickness .10 Inches, Stud Size 1/4 Inch, Wire Range #10 AWG - #3 AWG, Copper Alloy, Tin Plated

### Ordering

EAN	5414363111665
UPC	786210839271
Land van herkomst	United States (US)
Verkoopenheid van maat	each

### Container Information

Pakketniveau 1 Units	25 stuk
Pakketniveau 1 Breedte	2.8 in 71 mm
Pakketniveau 1 Hoogte	2.3 in 58 mm

Pakketniveau 1 Lengte	3.3 in 84 mm
Pakketniveau 2 Units	250 stuk
Pakketniveau 2 Breedte	6 in 152 mm
Pakketniveau 2 Hoogte	3.4 in 86 mm
Pakketniveau 2 Lengte	12.2 in 310 mm

## Additional Information

Toepassing	For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections.
Merk / Label	Sta-Kon
Ingangsdatum	19760827
Materiaal	Copper
Productnaam	STA-KON AND CATAMOUNT TERMINAL
Producttype	Splice
Speciale functies	Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire.
Normen	UL E9809
Sub Brand / Label	Dragon Tooth

## Certificates and Declarations (Document Number)

Gegevensblad, technische informatie	204MT14
Instructies en handleidingen	204MT14

## Classifications

ETIM 6	EC001059 - Perskoppelstuk voor koperkabel
ETIM 7	EC001059 - Crimp splices for copper conductor
ETIM 8	EC001059 - Crimp splices for copper conductor
UNSPSC	39121432
WEEE-categorie	Product Not in WEEE Scope
IGCC (IDEA granulaire categoriecode)	4603 >> Electrical terminals

## Categorieën

Laagspanningsproducten en -systemen → Installatietechniek producten → Draad- en kabelmanagement → Compressie- en mechanische aansluitingen

