

PRODUCT-DETAILS

220020

INSUL PRC BUTT SPLICE CU 6-2 AWG



Algemene informatie

Type	220020
Artikelnummer	7TAI029030R0011
EAN	5414363111887
Omschrijving	INSUL PRC BUTT SPLICE CU 6-2 AWG
Omschrijving	Insulation Piercing Magnet Wire Butt Splice, Length 3.13 Inches, Width .88 Inches, Height .85 Inches, Wire Range #6 AWG - #2 AWG 110,000 Circular Mil Area - 175,000 Circular Mil Area, Copper Alloy, Tin Plated

Ordering

EAN	5414363111887
UPC	786210855561
Vervangen product-ID (NIEUW)	7TAI029030R0036
Land van herkomst	United States (US)
Verkoopenheid van maat	each

Container Information

Pakketniveau 1 Units	25 stuk
Pakketniveau 1 Breedte	5 in 127 mm

Pakketniveau 1 Hoogte	4 in 102 mm
Pakketniveau 1 Lengte	6 in 152 mm
Pakketniveau 2 Units	250 stuk
Pakketniveau 2 Breedte	10.75 in 273 mm
Pakketniveau 2 Hoogte	10.75 in 273 mm
Pakketniveau 2 Lengte	12.5 in 318 mm

Additional Information

Toepassing	For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections.
Merk / Label	Sta-Kon
Ingangsdatum	19730905
Materiaal	Copper
Productnaam	STA-KON AND CATAMOUNT TERMINAL
Producttype	Splice
Speciale functies	Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire.
Normen	UL E9809
Sub Brand / Label	Dragon Tooth
Uitvoering oppervlakte	Tin Plated

Certificates and Declarations (Document Number)

Gegevensblad, technische informatie	220020
Instructies en handleidingen	220020

Classifications

ETIM 6	EC001059 - Perskoppelstuk voor koperkabel
ETIM 7	EC001059 - Crimp splices for copper conductor
ETIM 8	EC001059 - Crimp splices for copper conductor
UNSPSC	39121449
WEEE-categorie	Product Not in WEEE Scope
IGCC (IDEA granulaire categoriecode)	4669 >> Wire or cable compression splice

Categorieën

Laagspanningsproducten en -systemen → Installatietechniek producten → Draad- en kabelmanagement → Compressie- en mechanische aansluitingen

