

PRODUCT-DETAILS

FPW12

INSUL PIERCING WASHER CU 1/2 STUD



Algemene informatie

Type	FPW12
Artikelnummer	7TAI029030R0030
EAN	5414363113348
Omschrijving	INSUL PIERCING WASHER CU 1/2 STUD
Omschrijving	Insulation Piercing Washer, Outer Diameter 31.8mm (1.25 Inches), Inner Diameter 14.2mm (0.56 Inch), Stud Size 1/2 Inch, Copper Alloy, Tin Plated

Ordering

EAN	5414363113348
UPC	786210709970
Land van herkomst	United States (US)
Verkoopenheid van maat	each

Container Information

Pakketniveau 1 Units	250 stuk
Pakketniveau 1 Breedte	4 in 102 mm
Pakketniveau 1 Hoogte	3 in 76 mm
Pakketniveau 1 Lengte	4 in

	102 mm
Pakketniveau 2 Units	2500 stuk
Pakketniveau 2 Breedte	8.5 in 216 mm
Pakketniveau 2 Hoogte	3.5 in 89 mm
Pakketniveau 2 Lengte	21.5 in 546 mm

Additional Information

Toepassing	Enables copper to aluminum connections to be made in a bolted joint without the use of inhibiting compounds.
Merk / Label	Sta-Kon
Ingangsdatum	19890303
Binnen diameter	0.56 in 14.2 mm
Materiaal	Copper
Buitendiameter	1.25 in 31.8 mm
Productnaam	COPPER WASHER
Producttype	Transition Washer
Speciale functies	Accommodates the difference in thermal expansion between copper and aluminum and enhances the efficiency of bolted grounding connections.
Normen	UL E9809
Sub Brand / Label	Dragon Tooth
Geschikt voor	1/2 Inch
Uitvoering oppervlakte	Tin Plated
Dikte	0.035 in 0.89 mm

Certificates and Declarations (Document Number)

Gegevensblad, technische informatie	FPW12
Instructies en handleidingen	FPW12

Classifications

ETIM 6	EC002345 - Veerring
ETIM 7	EC002345 - Serrated lock washer
ETIM 8	EC002345 - Lock washer
UNSPSC	31161807
WEEE-categorie	Product Not in WEEE Scope
IGCC (IDEA granulaire categoriecode)	2885 >> Flat washers

Categorieën

Laagspanningsproducten en -systemen → Installatietechniek producten → Draad- en kabelmanagement → Compressie- en mechanische aansluitingen

