

PRODUCT-DETAILS

# GSB275

## 2-PC INNER SLV CONN ORG I.D. 0.275



### Algemene informatie

Type	GSB275
Artikelnummer	7TAI029070R0028
EAN	5414363113829
Omschrijving	2-PC INNER SLV CONN ORG I.D. 0.275
Omschrijving	Two Piece Inner Sleeve Connector for Hexagonal Range, Length 7.9mm, Inner Diameter 6.98mm, Outer Diameter 7.77mm, Color Orange, Hard Bronze, Tin Plated

### Ordering

EAN	5414363113829
UPC	786210813226
Land van herkomst	United States (US)
Verkoopenheid van maat	each

### Container Information

Pakketniveau 1 Units	1000 stuk
Pakketniveau 1 Breedte	4 in 102 mm
Pakketniveau 1 Hoogte	3 in 76 mm
Pakketniveau 1 Lengte	4 in

	102 mm
Pakketniveau 2 Units	10000 stuk
Pakketniveau 2 Breedte	8.5 in 216 mm
Pakketniveau 2 Hoogte	3.5 in 89 mm
Pakketniveau 2 Lengte	21.5 in 546 mm

## Additional Information

Merk / Label	Sta-Kon
Kleur	Orange
Ingangsdatum	19680516
Materiaal	Hard Bronze
Productnaam	STA-KON AND CATAMOUNT TERMINAL
Producttype	Two-Piece Inner Sleeve Connector
Speciale functies	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Inner sleeve for the Hexagonal Range (the corresponding outer sleeve is crimped with a hand tool and the result is a hexagonal-shaped crimp), for grounding shielded and coaxial cables. The sleeves are color coded according to their size. Millions of installations in communications, aerospace, electronic, telephone, radio and TV applications.
Sub Brand / Label	Shield-Kon

## Certificates and Declarations (Document Number)

Gegevensblad, technische informatie	GSB275
Instructies en handleidingen	GSB275
RoHS-informatie	9AKK107992A4006

## Classifications

ETIM 6	EC002650 - Aansluiting voor afgeschermd kabels
ETIM 7	EC002650 - Connection for screened wires
ETIM 8	EC002650 - Connection for screened wires
UNSPSC	39121432
WEEE-categorie	Product Not in WEEE Scope
IGCC (IDEA granulaire categoriecode)	4603 >> Electrical terminals

## Categorieën

Laagspanningsproducten en -systemen → Installatietechniek producten → Draad- en kabelmanagement → Compressie- en mechanische aansluitingen

