
PRODUCT-DETAILS

CMP250-0-BG

SHRINK-KON 300M BLACK



Algemene informatie

Type	CMP250-0-BG
Artikelnummer	7TCA017300R0101
EAN	5414363102526
Omschrijving	SHRINK-KON 300M BLACK
Omschrijving	Heat Shrink Tubing, 6.4mm, Black, 300M per bag, Thin Wall, Shrink Ration 2:1, Material - CrossLinked Polyolefin, Item is Silicone, Cadmium and Lead Free

Ordering

EAN	5414363102526
UPC	786210637877
Land van herkomst	Germany (DE)
Verkoopenheid van maat	rol

Dimensions

Product netto diepte	984.2 ft 300 m
----------------------	-------------------

Container Information

Pakketniveau 1 Units	1 reel
Pakketniveau 1 Breedte	15.4 in 391 mm
Pakketniveau 1 Hoogte	10.3 in 262 mm
Pakketniveau 1 Lengte	15.4 in 391 mm

Additional Information

Merk / Label	Shrink-Kon
Kleur	Black
Ingangsdatum	19980621
Procestemperatuurklasse	-67 to +275 °F -55 to +135 °C
Productnaam	PLASTIC CONDUIT
Producttype	Thin-Wall Heat Shrinkable Tubing
Shrink Ratio	2:1
Shrink Temperature	230 °F 110 °C
Dikte	Thin

Certificates and Declarations (Document Number)

Gegevensblad, technische informatie	CMP250-0-BG
Instructies en handleidingen	CMP250-0-BG

Classifications

ETIM 6	EC000217 - Krimp slang
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE-categorie	Product Not in WEEE Scope
IGCC (IDEA granulaire categoriecode)	5073 >> Heat shrinkable tube

Categorieën

Laagspanningsproducten en -systemen → Installatietechniek producten → Draad- en kabelmanagement → Identificatie en krimpkous

