

PRODUCT-DETAILS

GYS125-E-D

SHRINK-KON BOX 11,5M GREEN/YELLOW



Algemene informatie

Type	GYS125-E-D
Artikelnummer	7TCA017300R0263
EAN	5414363103844
Omschrijving	SHRINK-KON BOX 11,5M GREEN/YELLOW
Omschrijving	Flexible Green/Yellow Heat Shrink Tubing 1/8 Inch, Boxed 11.5M, Shrink Ratio 3:1, Thin Walled, Material - Crosslinked Polyolefin, Item is Silicone, Cadmium and Lead Free

Ordering

E-Number (Finland)	5211278
EAN	5414363103844
UPC	786210538105
Land van herkomst	United Kingdom (GB)
Verkoopenheid van maat	each

Dimensions

Product netto diepte	37.73 ft 11.5 m
----------------------	--------------------

Container Information

Pakketniveau 1 Units	1 stuk
Pakketniveau 1 Breedte	2.4 in 61 mm
Pakketniveau 1 Hoogte	6.7 in 170 mm
Pakketniveau 1 Lengte	6.7 in 170 mm
Pakketniveau 2 Units	60 stuk
Pakketniveau 2 Breedte	15.8 in 401 mm
Pakketniveau 2 Hoogte	22.5 in 572 mm
Pakketniveau 2 Lengte	20.9 in 531 mm

Additional Information

Merk / Label	Shrink-Kon
Kleur	Green/Yellow
Ingangsdatum	19980621
Flammability Hazard Rating	Flame Retardant
Procestemperatuurklasse	-67 to +275 °F -55 to +135 °C
Productnaam	PLASTIC CONDUIT
Producttype	Thin-Wall Heat Shrinkable Tubing
RoHS-datum	9AKK108466A3882
Shrink Ratio	3:1
Shrink Temperature	194 °F 90 °C
Dikte	Thin

Certificates and Declarations (Document Number)

Gegevensblad, technische informatie	GYS125-E-D
Instructies en handleidingen	GYS125-E-D
REACH-verklaring	9AKK108466A3887
RoHS-informatie	9AKK108466A3882

Classifications

ETIM 6	EC000217 - Krimpslang
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE-categorie	Product Not in WEEE Scope
IGCC (IDEA granulaire categoriecode)	5073 >> Heat shrinkable tube

Categorieën

Laagspanningsproducten en -systemen → Installatietechniek producten → Draad- en kabelmanagement → Identificatie en krimpkous

