

PRODUCT-DETAILS

CMP500-0-A

TUBING,HEAT SHRINK



Algemene informatie

Type	CMP500-0-A
Artikelnummer	7TCA017310R0002
EAN	5414363102809
Omschrijving	TUBING,HEAT SHRINK
Omschrijving	Heat Shrink Tubing, 12.7mm, Black, 1.22m Cut Length, 25 per box, Thin Wall, Shrink Ration 2:1, Material - CrossLinked Polyolefin, Item is Silicone, Cadmium and Lead Free

Ordering

EAN	5414363102809
UPC	786210822822
Vervangen product-ID (NIEUW)	7TAA017310R0182
Land van herkomst	Germany (DE)
Verkoopenheid van maat	each

Dimensions

Product netto diepte	492.1 ft 150 m
----------------------	-------------------

Container Information

Pakketniveau 1 Units	25 stuk
Pakketniveau 1 Breedte	4.1 in 104 mm
Pakketniveau 1 Hoogte	4.2 in 107 mm
Pakketniveau 1 Lengte	49.3 in 1252 mm

Additional Information

Merk / Label	Shrink-Kon
Kleur	Black
Ingangsdatum	19810407
Procestemperatuurklasse	-67 to +275 °F -55 to +135 °C
Productnaam	HEAT SHRINK POLYOLEFIN TUBING
Producttype	Thin-Wall Heat Shrinkable Tubing
RoHS-datum	9AKK107992A8962
Shrink Ratio	2:1
Shrink Temperature	230 °F 110 °C
Dikte	Thin

Certificates and Declarations (Document Number)

Gegevensblad, technische informatie	CMP500-0-A
Instructies en handleidingen	CMP500-0-A
REACH-verklaring	9AKK107992A8971
RoHS-informatie	9AKK107992A8962

Classifications

ETIM 6	EC000217 - Krimpslang
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE-categorie	Product Not in WEEE Scope
IGCC (IDEA granulaire categoriecode)	5073 >> Heat shrinkable tube

Categorieën

Laagspanningsproducten en -systemen → Installatietechniek producten → Draad- en kabelmanagement → Identificatie en krimpkous

