

PRODUCT-DETAILS

TY5242MXR

CBL TIE 40LB 8IN UV BLACK NYL



Algemene informatie

Type	TY5242MXR
Artikelnummer	7TCG009110R0022
EAN	5414363065456
Omschrijving	CBL TIE 40LB 8IN UV BLACK NYL
Omschrijving	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 208mm (8.19 Inches), Width of 3.6mm (0.142 Inches), Thickness of 1.04mm (0.041 Inches), Tensile Strength Rating of 180 Newtons (40 Pounds), Euroslot Packaging

Ordering

E-Number (Finland)	1381522
EAN	5414363065456
UPC	786210514871
Land van herkomst	Hungary (HU)
Verkoopenheid van maat	each

Dimensions

Product netto breedte	0.142 in 3.6 mm
Product netto diepte	8.19 in 208 mm

Container Information

Pakketniveau 1 Units	100 stuk
Pakketniveau 2 Units	10000 stuk
Pakketniveau 2 Breedte	13.5 in 343 mm
Pakketniveau 2 Hoogte	12 in 305 mm
Pakketniveau 2 Lengte	13 in 330 mm

Technical UL/CSA

Ontvlambaarheid volgens UL 94	V-2
----------------------------------	-----

Additional Information

Merk / Label	Ty-Rap
Kleur	Black
Ingangsdatum	19980621
Type slot	Stainless Steel Barb
Materiaal	Nylon/Polyamide 6.6
Productnaam	TY-RAP FASTENING
Producttype	High Performance
RoHS-datum	9AKK107991A8361
Treksterkte	40 lb 180 N
Dikte	0.041 in 1.04 mm

Certificates and Declarations (Document Number)

Gegevensblad, technische informatie	TY5242MXR
Instructies en handleidingen	TY5242MXR
REACH-verklaring	9AKK107992A3994
RoHS-informatie	9AKK107991A8361

Classifications

ETIM 6	EC000046 - Kabelbundelband
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE-categorie	Product Not in WEEE Scope
IGCC (IDEA granulaire categoriecode)	5034 >> Cable ties

Categorieën

Laagspanningsproducten en -systemen → Installatietechniek producten → Draad- en kabelmanagement → Kabelbinders

