




**FRAGMA 4X4 ADM DIM1P**


DEEL  
PARTIE  
TEIL  
PART  
PARTE  
PARTE
 **A**








ACCESSORIES		REQUIREMENTS	
FRAGMA 4X4 BEAM LENS 26°	23613 0010	TRACK 3F DIM ON	200 12 4X0
FRAGMA 4X4 BEAM LENS 47°	23613 0040	TRACK 3F DIM IN	200 13 4X0
FRAGMA 4X4 SOFTENING LENS (Only with 14°)	23613 0070	TRACK 3F DIM H	200 14 4X0
FRAGMA 4X4 LINEAR SPREAD LENS (Only with 14°)	23613 0100		
FRAGMA 4X4 WALLWASH LENS (Only with 14°)	23613 0160		
FRAGMA 4X4 FLAPS	23613 0190		
FRAGMA 4X4 HONEYCOMB	23613 0220		
FRAGMA 4X4 RASTER	23613 0250		



**IP20**

Beschermd tegen vaste voorwerpen die groter zijn dan 12 mm  
 Protégé contre les objets solides de plus de 12 mm  
 Geschützt gegen Festkörper größer als 12 mm  
 Protected against solid objects greater than 12 mm  
 Protegido contra objetos sólidos superiores a 12 mm  
 Protetto contro oggetti solidi più grandi di 12 mm







Voorzien van aardingsaansluiting  
 Avec mise à la terre  
 Ausgerüstet mit Erdungsanschluss  
 Provided with grounding  
 Con la toma de tierra  
 Con presa a terra

**1**



**2**





This product contains a light source of energy efficiency class E  
本产品包含能效等级为 E 的光源  
Этот артикул содержит источник света с энергоэффективностью класса E

**E**

Dit product bevat een verlichtingsbron van energie-efficiëntieklasse E  
Ce produit contient une source d'éclairage de classe d'efficacité énergétique E  
Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse E  
Este producto contiene una fuente de iluminación de clase de eficiencia energética E  
Questo prodotto contiene una fonte di illuminazione in classe di efficienza energetica E

Replaceable (LED only) light source and control gear by a professional  
(仅针对LED) 光源及其控制设备只能由专业人员更换  
(для СВЕТОДИОДНЫХ светильников) замена источника света и блока питания может быть произведена только квалифицированным специалистом

Verlichtingsbron (enkel LED) en voorschakelapparaat kan enkel vervangen worden door een professional  
La source d'éclairage (uniquement LED) et le ballast ne peut être remplacé que par un professionnel  
Die Lichtquelle (nur LED) und Vorschaltgerät kann nur von einem Fachmann ausgetauscht werden  
La fuente de iluminación (solo LED) solo puede ser reemplazada por un profesional  
La sorgente luminosa (LED) e l'alimentatore possono essere sostituiti solo da un professionista.

De verlichtingsbron van dit verlichtingstoestel zal enkel door de fabrikant of door de fabrikant aangestelde installateur vervangen worden.

La source lumière de cet appareil ne sera remplacée que par l'entrepre-  
sise ou par un agent reconnu.

Das enthaltene Leuchtmittel sollte nur durch entsprechendes Fachper-  
sonal ersetzt werden.


The light source contained in this luminaire shall only be replaced by  
the manufacturer or his service agent.

La fuente de iluminación que tiene esta luminaria sólo puede rempla-  
zarse por el fabricante o por un instalador autorizado.

La sorgente luminosa incorporata in questo apparecchio può essere  
sostituita solo dal produt tore, da un suo centro assistenza oppure da  
una persona in possesso della necessaria abilitazione.


**ACCESSORIES**



- |              |  |
|--------------|--|
| <b>A</b><br> | <p>23613 0010 FRAGMA 4X4 BEAM LENS 26°</p> <p>23613 0040 FRAGMA 4X4 BEAM LENS 47°</p> <p>23613 0070 FRAGMA 4X4 SOFTENING LENS (only with 14°)</p> <p>23613 0100 FRAGMA 4X4 LINEAR SPREAD LENS (only with 14°)</p> <p>23613 0160 FRAGMA 4X4 WALLWASH LENS (only with 14°)</p> |
| <b>B</b><br> | <p>23613 0190 FRAGMA 4X4 FLAPS</p>   |
| <b>C</b><br> | <p>23613 0220 FRAGMA 4X4 HONEYCOMB</p>   |
| <b>D</b><br> | <p>23613 0250 FRAGMA 4X4 RASTER</p>  |





**removal of lens**

**A**  
Place the suction cup in one of the four corners.





**C** 23613 0220 FRAGMA 4X4 HONEYCOMB



**D** 23613 0250 FRAGMA 4X4 RASTER

